



**Hal-hal yang perlu diperhatikan pasien COVID-19 dalam menghadiri konsultasi secara langsung**



# Layanan konsultasi Otoritas Rumah Sakit (HA) bagi pasien COVID-19

- Pasien COVID-19 dengan **gejala ringan** dapat menerima layanan konsultasi, dan **TIDAK** perlu datang ke Instalasi Gawat Darurat (IGD)
- Jika pasien **telah menerima perawatan**, mohon **batalan janji temu di HA**, sehingga kuota tersebut dapat dibuka bagi pasien lain yang membutuhkan






# Konsultasi dokter dan resep obat-obatan

- Hal-hal yang perlu diperhatikan:

-  Siapkan kartu HKID untuk verifikasi

-  Untuk pasien penyakit kronis yang melakukan pemeriksaan lanjutan di klinik pribadi, tunjukkan obat-obatan yang diresepkan dan kemasannya untuk rujukan dokter

- Efek samping obat-obatan oral COVID-19 tidak umum dan biasanya ringan. Jika terjadi efek samping parah, mohon berhenti mengonsumsi obat dan cari bantuan dokter sesegera mungkin





# Tips kesehatan

- **Hal-hal yang perlu diperhatikan:**

- ✓ Jaga kebersihan pribadi, kenakan masker dan jaga kebersihan tangan secara sering
- ✓ Pantau kondisi kesehatan, seperti dengan mengukur suhu tubuh dan menggunakan oksimeter dua kali sehari
- ✓ Jika gejala peringatan (mis. demam terus-menerus atau kesulitan bernafas) terjadi, mohon pergi ke IGD sesegera mungkin





# **Points to note for COVID-19 patient on attending in-person consultation**



# Hospital Authority (HA) consultation service for COVID-19 patients

- COVID-19 patients with **mild symptoms** may receive consultation services, and **need NOT attend the Accident & Emergency (A&E) Department**
- If patients have **already received treatment**, please **cancel the appointment at the HA**, so as to release quota to other patients in need





# Doctor consultation and medication prescription

- Points to note:



Get ready HKID card for verification



For chronic disease patients being followed up at private clinics, show the prescribed medications and packaging for doctors' reference

- Side effects of COVID-19 oral drugs are not common and are generally mild. If severe side effects occur, please stop taking the medication and seek medical consultation as soon as possible





# Health tips

- **Points to note:**

- ✔ Maintain good personal hygiene, wear surgical mask and perform hand hygiene frequently
- ✔ Monitor health condition, such as measuring body temperature and using pulse oximeter twice daily
- ✔ If warning symptoms (e.g. persistent fever or onset of difficulty breathing) occur, please go to A&E as soon as possible

