



कोविड-19 बिरामीहरूको लागि
व्यक्तिगत परामर्शमा उपस्थित हुँदा ध्यान
दिनुपर्ने कुराहरू



COVID-19 बिरामीहरूको लागि अस्पताल प्राधिकरण (HA) परामर्श सेवा

- हल्का लक्षण भएका **COVID-19** बिरामीहरूले परामर्श सेवाहरू प्राप्त गर्न सक्छन्, र दुर्घटना र आपतकालीन (A&E) विभागमा उपस्थित हुनु आवश्यक छैन।
- यदि बिरामीहरूले पहिले नै उपचार प्राप्त गरिसकेका छन् भने, कृपया **HA** मा अपोइन्टमेन्ट रद्द गर्नुहोस्, ताकि आवश्यक परेका अन्य बिरामीहरूलाई कोटा जारी गर्न सकियोस्।





डाक्टर परामर्श र औषधि प्रिस्क्रिप्शन

- ध्यान दिनुपर्ने कुराहरू:



प्रमाणीकरणका लागि HKID कार्ड तयार पार्नुहोस्



निजी क्लिनिकहरूमा पछ्याइएका दीर्घ रोगका बिरामीहरूको लागि, तोकिएका औषधिहरू र डाक्टरहरूको सन्दर्भको लागि प्याकेजिङ देखाउनुहोस्।

- COVID-19 मौखिक औषधिहरूको साइड इफेक्टहरू समान हुँदैनन् र सामान्यतया हल्का हुन्छन्। यदि गम्भीर साइड इफेक्टहरू देखा पर्छन् भने, कृपया औषधि लिन रोक्नुहोस् र सकेसम्म चाँडो चिकित्सकीय परामर्श लिनुहोस्।





स्वास्थ्य टिप्स

• ध्यान दिनुपर्ने कुराहरूः

- ✓ राम्रो व्यक्तिगत सरसफाइ कायम राख्नुहोस्, सर्जिकल मास्क लगाउनुहोस् र बारम्बार हातको सरसफाइ गर्नुहोस्
- ✓ शरीरको तापक्रम नाप्ने र दिनमा दुई पटक पल्स अक्सिमिटर प्रयोग गर्ने जस्ता स्वास्थ्य अवस्थाको निगरानी गर्नुहोस्
- ✓ यदि चेतावनी लक्षणहरू (जस्तै लगातार ज्वरो वा सास फेर्न कठिनाइको शुरुआत भएको) देखा पर्यो भने, कृपया सकेसम्म चाँडो A&E मा जानुहोस्।





Points to note for COVID-19 patient on attending in-person consultation



Hospital Authority (HA) consultation service for COVID-19 patients

- COVID-19 patients with **mild symptoms** may receive consultation services, and **need NOT attend the Accident & Emergency (A&E) Department**
- If patients have **already received treatment**, please **cancel the appointment at the HA**, so as to release quota to other patients in need





Doctor consultation and medication prescription

- Points to note:



Get ready HKID card for verification



For chronic disease patients being followed up at private clinics, show the prescribed medications and packaging for doctors' reference

- Side effects of COVID-19 oral drugs are not common and are generally mild. If severe side effects occur, please stop taking the medication and seek medical consultation as soon as possible





Health tips

- **Points to note:**

- ✔ Maintain good personal hygiene, wear surgical mask and perform hand hygiene frequently
- ✔ Monitor health condition, such as measuring body temperature and using pulse oximeter twice daily
- ✔ If warning symptoms (e.g. persistent fever or onset of difficulty breathing) occur, please go to A&E as soon as possible

