



بذاتِ خُود مشاورت وچ حاضر ہوں آلے کوویڈ۔
19 مریضاں لئی یاد رکھن دے نکات



ہاسپٹل اتھارٹی (HA) دی کوویڈ-19 مریضاں لئی مشاورتی سروس

- مُعتدل علامتاں دے حامل کوویڈ-19 مریض مشاورتی خدمات حاصل کر سکتے نیں، تے انہاں نوں ایکسیڈینٹ اینڈ ایمرجنسی (A&E) ڈپارٹمنٹ وچ جان دی ضرورت نہیں اے
- جے مریضاں نے پہلے ہی علاج کروا لیا ہووے تے، مہربانی کر کے HA تے اپوائنٹمنٹ نوں منسوخ کر دیو، تاکہ دیگر ضرورت مند مریضاں لئی کوٹا نوں جاری کیتا جا سکے






ڈاکٹر دی مشاورت تے ادویاتی نسخہ

• یاد رکھن دے نکات:

تصدیق لئی HKID کارڈ تیار رکھو 

دائمی مرض دے شکار مریض جنہاں دا فالو اپ پرائیویٹ کلینکس تے ہو ریا ہووے، ادویاتی نسخہ تے ڈاکٹر دے حوالے لئی پیکجز دکھاندے نیں 

• کوویڈ-19 دی بذریعہ منہ لتی جان والی ادویات دے ضمنی اثرات عمومی نئیں نیں تے عام طور تے معتدل ہو سکدے نیں۔ جے شدید سنگین اثرات سامنے آندے نیں تے مہربانی کر کے ادویات لینا ترک کر دیو تے جس قدر جلد ممکن ہووے طبی مشاورت طلب کرو





صحت دے مشورے



• یاد رکھن دے نکات:

✓ عُمده ذاتی حفظان صحت برقرار رکھو، سرجیکل ماسک پہنو تے ہتھاں نوں کثرت نال دھووو

✓ صحت دی حالت دا معائنہ کرو، جیسا کہ جسمانی درجہ حرارت نوں ماپیا جائے تے ہر روز دو واری پلس آکسی میٹر استعمال کیتا جائے

✓ جے تنبیہی علامتاں (مثلاً مُسلسل بخار یا سانس لین وچ تنگی) درپیش ہو جائے تے، براہ مہربانی جس قدر جلد ممکن ہووے A&E تے جائو



Points to note for COVID-19 patient on attending in-person consultation



Hospital Authority (HA) consultation service for COVID-19 patients

- COVID-19 patients with **mild symptoms** may receive consultation services, and **need NOT attend the Accident & Emergency (A&E) Department**
- If patients have **already received treatment**, please **cancel the appointment at the HA**, so as to release quota to other patients in need





Doctor consultation and medication prescription

- Points to note:



Get ready HKID card for verification



For chronic disease patients being followed up at private clinics, show the prescribed medications and packaging for doctors' reference

- Side effects of COVID-19 oral drugs are not common and are generally mild. If severe side effects occur, please stop taking the medication and seek medical consultation as soon as possible





Health tips

- **Points to note:**

- ✔ Maintain good personal hygiene, wear surgical mask and perform hand hygiene frequently
- ✔ Monitor health condition, such as measuring body temperature and using pulse oximeter twice daily
- ✔ If warning symptoms (e.g. persistent fever or onset of difficulty breathing) occur, please go to A&E as soon as possible

