



ประเด็นที่ควรทราบสำหรับผู้ป่วยโรค COVID-19 เกี่ยวกับการเข้ารับคำปรึกษาแบบตัวต่อตัว



บริการให้คำปรึกษาของ องค์กรโรงพยาบาล (HA) สำหรับ ผู้ป่วยโรค COVID-19

- ผู้ป่วยโรค COVID-19 ที่มี **อาการไม่รุนแรง** อาจได้รับบริการให้คำปรึกษา และ **ไม่จำเป็นต้องเดินทางไปยังแผนกอุบัติเหตุ และฉุกเฉิน (A&E)**
- หากผู้ป่วย **ได้รับการรักษาแล้ว** โปรด **ยกเลิกการนัดหมายที่ HA** เพื่อปล่อยโควต้าให้กับผู้ป่วยรายอื่นที่ต้องการ





การปรึกษาแพทย์ และ ใบส่งจ่ายยา

- ประเด็นที่ควรทราบ:



เตรียมบัตร HKID ให้พร้อมสำหรับการตรวจสอบ



สำหรับผู้ป่วยโรคเรื้อรังที่ติดตามการรักษาที่คลินิกเอกชน ให้แสดงยา และบรรจุภัณฑ์ตามใบสั่งแพทย์เพื่อเป็นข้อมูลอ้างอิงของแพทย์

- ผลข้างเคียงของยารับประทานของโรค COVID-19 พบได้ไม่บ่อย และโดยทั่วไปไม่รุนแรง หากเกิดผลข้างเคียงที่รุนแรง โปรดหยุดใช้ยา และรีบไปพบแพทย์โดยเร็วที่สุด





เคล็ดลับด้านสุขภาพ

- ประเด็นที่ควรทราบ:



รักษาสุขภาพส่วนบุคคลที่ดี สวมหน้ากากอนามัย และล้างมือบ่อย ๆ



ติดตามสถานะสุขภาพ เช่น วัดอุณหภูมิร่างกาย และใช้เครื่องวัดออกซิเจนในเลือดวันละ 2 ครั้ง



หากมีอาการเตือน (เช่น มีไข้ต่อเนื่อง หรือหายใจลำบาก) โปรดไปที่ A&E โดยเร็วที่สุด





Points to note for COVID-19 patient on attending in-person consultation



Hospital Authority (HA) consultation service for COVID-19 patients

- COVID-19 patients with **mild symptoms** may receive consultation services, and **need NOT attend the Accident & Emergency (A&E) Department**
- If patients have **already received treatment**, please **cancel the appointment at the HA**, so as to release quota to other patients in need





Doctor consultation and medication prescription

- Points to note:



Get ready HKID card for verification



For chronic disease patients being followed up at private clinics, show the prescribed medications and packaging for doctors' reference

- Side effects of COVID-19 oral drugs are not common and are generally mild. If severe side effects occur, please stop taking the medication and seek medical consultation as soon as possible





Health tips

- **Points to note:**

- ✔ Maintain good personal hygiene, wear surgical mask and perform hand hygiene frequently
- ✔ Monitor health condition, such as measuring body temperature and using pulse oximeter twice daily
- ✔ If warning symptoms (e.g. persistent fever or onset of difficulty breathing) occur, please go to A&E as soon as possible

