Fall Prevention Program for Patients with Toileting Needs

Chung YY (1), Chan SK (1), Leung MF (2)

(1) Continence Care Service, Nursing Service Division, United Christian Hospital

(2) Medical and Geriatric Department, United Christian Hospital

Introduction

- AIRS reported in UCH in 2011, 40-70% falls incident related to toileting needs
- High fall risk patients with recent onset of weakness of lower limbs are easily prone to falls during toileting
- UCH Continence Care Team had reviewed the toileting practice and developed a Fall Preventing Toileting Guideline


Objectives

To minimize risk of fall related to toileting

 To increase awareness of healthcare staff in prevention of falls

To identify patients at high risk of falling

住院病人如廁防跌護理指引



HOSPITAL AUTHORITY Please Stick Label if Available or Use Block Letters

UN	ITED CHRI	ISTIAN HOSPIT	HN:			MRN :		
<i>f</i> -	→『今『七坪·		1					
住院防跌 24 小時如廁							_Age :	
護理計劃				Dept. :			Ward / Be	d:
日期:			風	險項目:	1.	步態項目評		
		ン次:	不穩定=10,失調不平衡=20) □ 2. 精神狀態: 高估自己能力 / 忘記自己限制= 15 分 時 □ 3. 跌倒風險評估 ≥45 分					
I. 教	導病人使用!	叫人鈴呼喚協助が	(1)順: 7	有/無		職員簽署:		
		者如廁習慣協助: B助如廁、鑊理人			便情況	,包括:病	人拒絕協.	助自行如廁、
日期	時間	病人拒絕協助 自行如廁*		人接鈴 B助如廁*		理人員 猩如廁*	a. 便椅	前方法: b. 尿量 d. 陪伴往返如頂
*在適當	位置加上✓號	Ē)						
	→ 病人明	白如廁要求協助力				Laberi		
	ソラ 洒入禾原	能配合 → 護理計	T戴川勺刀口		則護理部			

職員簽署: _____

在影影數在24人18.安頂的雙唱。由19

Results and Conclusion

Results:

The fall rate was reduced from 0.75 /1000 patient bed days in 2012 to 0.65/1000 patient bed days in 2013

Fall rate 2012-2013 (per 1000 bed days)

		<u>Fall rate</u>			<u>Fall rate</u>
2012	Q1.	0.18		Q1.	0.61
	Q2.	0.68		Q2.	0.72
	Q3.	0.64		Q3.	0.62
	Q4.	0.83		Q4.	0.66
	Total	0.75		Total	0.65

Conclusion:

- *The Fall Prevention Toileting Guideline developed by UCH Continence Care Team was implemented in adult wards
- *The guideline helped to reduce falls in wards related to toileting needs

Thank You