

For consultation:

- Attend eye clinic concerned during office hours
- Attend the Accident and Emergency Department close to your residence outside office hours

Should you have any queries, please consult your doctor during follow-up Information provided by Department of Ophthalmology, Grantham Hospital



眼球縱切面圖



港島西眼科專業人員,包括眼科醫生、 護士、視光師及視覺矯正師等等,為市 民提供全面的眼科服務。此外,我們亦 負責策劃和推行區內眼科服務的長遠發 展。並培訓眼科醫護專職人員,提升市 民的健康質素。





長期使用類固醇或青光眼藥 FOR PATIENT ON LONG TERM TREATMENT OF STEROID OR GLAUCOMA EYE DROPS





葛量洪醫院 Grantham Hospital	Pamphlet Topic & Department Code
Ownership	HKWC/Ophthalmology - 5
Last review/revision	Apr/2023
Approval Group	HKWC information Pamphlet Working Group
Distribution	As requested

長期使用類固醇或青光眼藥

請注意

覆診前如藥物不夠用,請於星期一至 五上午十時至十二時(假期除外),往 所屬的眼科診所辦理取藥手續,並須 攜帶:

- 診所發出之覆診紙
- 使用的眼藥水及服食的類固醇或青 光眼藥丸

青光眼病者或疑有青光眼病發<mark>者</mark> 請注意

- 有任何突發之青光眼病徵,如眼睛 劇痛、頭痛、甚至噁心、嘔吐,看 見燈光有彩虹圈環繞等症狀
- 辦公時間請即前往所屬眼科診所求診

● 非辦公時間即往就近醫院急症室 求診

如有其他疑問,可於覆診時向醫生查詢以上資料由葛量洪醫院眼科部門提供

FOR PATIENT ON LONG TERM TREATMENT OF STEROID OR GLAUCOMA EYE DROPS

Should your medication run out before your next appointment, you could come to the Registration Office of our Eye Clinic from Monday to Friday (holidays excluded) 10AM to 12N for the refill.

Please bring along:

- The appointment slip for the next follow up
- The medication that you are using

For glaucoma or glaucoma suspected patients

In case of sudden onset of glaucoma-like symptoms, please seek consultation as soon as possible. Symptoms of glaucoma include severe eye pain, headache, nausea, vomiting, and seeing haloes in rainbow colour around light.