






Lung Cancer in 2021

2021年肺癌統計數字

	Incidence 發病		Mortality 死亡	
	Male 男性	Female 女性	Male 男性	Female 女性
Number of cases registered 登記個案數目	3,493	2,485	2,622	1,415
Rank 排名	1	2	1	1
Proportion of all cancers 佔總數百分比	18.4%	12.7%	30.0%	22.3%
Male : Female ratio 男女比例	1.4	1	1.9	1
Median age (years) 年齡中位數 (歲)	70	68	72	74
Crude rate 粗率	103.3	61.7	77.5	35.1
Age-standardised rate [ASR] ¹ 年齡標準化比率 ¹	40.9	26.0	28.2	12.9
Average Annual Percent Change of ASR over the past 10 years ² 年齡標準化比率在過去十年內的平均每年百分比變化 ²	-1.0%*	+1.8%*	-2.9%*	-1.9%*
Lifetime risk before age 75 一生累積風險 (0-74歲)	1 in 21	1 in 33	1 in 32	1 in 72
Five-year relative survival ³ 五年相對存活率 ³ (2010-2020)	Male 男性 : 17.2%; Female 女性 : 29.7%			



Histological group 組織學分類	No. of cases 個案數目	Relative frequency 分佈
Non-small cell carcinoma 非小細胞癌	4,895	81.9%
- Adenocarcinoma 腺癌	3,644	61.0%
- Squamous cell carcinoma 鱗狀細胞癌	522	8.7%
- Large cell carcinoma 大細胞癌	54	0.9%
- Other non-small cell carcinoma 其他非小細胞癌	675	11.3%
Small cell carcinoma 小細胞癌	300	5.0%
Others 其他惡性腫瘤	36	0.6%
Unknown (clinically/radiologically diagnosed) 未知 (臨床/放射診斷)	747	12.5%
Total 總數	5,978	100%



¹ Age-standardised rates (ASR) are age-adjusted to the World Standard Population of Segi (1960) and expressed per 100,000 population. Comparisons with these rates from other sources are valid only under the same standard population for calculations.

年齡標準化比率是根據 Segi (1960) 世界標準人口並以每十萬人口計算。用於進行比較不同族群之間的疾病率時，需以同一標準人口為基準計算才有意義。

² Average Annual Percent Change of ASR is a summary measure of the trend over a specified interval (* represents statistically significant at the 0.05 level). For details, please refer to the glossary in HKCaR website (www3.ha.org.hk/cancereg/glossary.html#aapc).

ASR的平均每年百分比變化是基於特定年期的數據進行計算來總結過往趨勢的測量工具(* 號代表於0.05水平上達至統計顯著)。有關詳情請參閱 HKCaR 網站內的詞彙表 (www3.ha.org.hk/cancereg/tc/glossary.html#aapc)。

³ Relative survival (RS) is the proportion of cancer patients surviving for a specified time after diagnosis of cancer, compared to people without cancer in general population. RS is the most commonly used method to measure survival of people with cancer in a population.

相對存活率是指與相同性別和年齡的一般人口比較後的存活百分比。這是計算以人口為基礎的癌症患者存活率中最常用的方法。